

Goat antibody to Lamin-A/C

| | |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Code | OSL00010W |
| ID Tag | Gt203-101009-WS |
| Unit size | 100 ul |
| Immunogen | A synthetic peptide from the n-terminal region of human Lamin-A/C (LMNA) conjugated to blue carrier protein was used as the antigen. The peptide is homologous in many other species. |
| Conjugate | Unconjugated antibody |
| Also known | Lamin-A/C, Lamin A/C, Lamin A / C, LaminA/C, 70 kDa lamin, Renal carcinoma antigen NY-REN-32, LMNA, LMN1 |
| Host | Goat |
| Purity | Whole serum |
| Clonality | Polyclonal |
| Isotype | Polyclonal, whole serum |
| Applications | IHC, WB. A dilution of 1: 300 to 1: 2000 is recommended. The optimal dilution should be determined by the end user. Not yet tested in other applications. |
| Specificity | Specific for Lamin-A/C. |
| Spcs X-react. | Human, rat, mouse. Not yet tested in other species. |
| Format | Lyophilised |
| Reconstitution | Reconstitute in 100 ul of sterile water. Centrifuge to remove any insoluble material. |
| Storage | Maintain the lyophilised/reconstituted antibodies frozen at -20C for long term storage and refrigerated at 2-8C for a shorter term. When reconstituting, glycerol (1:1) may be added for an additional stability. Avoid freeze and thaw cycles. |
| Expiry Date | 12 months after reconstitution |
| Shipping | This item will be shipped to you at ambient temperature in a lyophilised form. |
| Limitation | For research use only |