


Rabbit antibody to BDKRB2

Code	OSB00042W
ID Tag	Rb1232-051209-WS
Unit size	100 Åµl
Immunogen	A synthetic peptide from the c-terminal region of mouse BDKRB2 conjugated to blue carrier protein was used as the antigen.
Conjugate	Unconjugated antibody
Also known	B2 bradykinin receptor, BK-2 receptor, B2R, BDKRB2
Host	NZ white rabbit
Purity	Whole serum
Clonality	Polyclonal
Isotype	Polyclonal, whole serum
Applications	IHC, WB. A dilution of 1 : 2000 is recommended. The optimal dilution should be determined by the end user. Not yet tested in other applications.
Specificity	Specific for BDKRB2.
Spcls X-react.	Mouse, rat, marmoset. Other species not yet tested but expected to work in human and guinea pig.
Format	Lyophilised
Reconstitution	Reconstitute in 100 Åµl of sterile water. Centrifuge to remove any insoluble material.
Storage	Maintain the lyophilised/reconstituted antibodies frozen at -20Å°C for long term storage and refrigerated at 2-8Å°C for a shorter term. When reconstituting, glycerol (1:1) may be added for an additional stability. Avoid freeze and thaw cycles.
Expiry Date	12 months after reconstitution
Shipping	This item will be shipped to you at ambient temperature in a lyophilised form.
Limitation	For research use only



IHC-P on paraffin sections of mouse brain.
 The animal was perfused using Autoperfuser at a pressure of 110 mmHg with 300 ml 4% FA and further post fixed overnight before being processed for paraffin embedding.
 HIER: Tris-EDTA, pH 9 for 20 min using Thermo PT Module.
 Blocking: 0.2% LFDM in TBST filtered thru 0.2 Åµm.
 Detection was done using Novolink HRP polymer from Leica following manufacturers instructions.
 Primary antibody: dilution 1: 1000, incubated 30 min at RT using Autostainer.
 Sections were counterstained with Harris Hematoxylin.

Related Products

OSB00049G	Rabbit antibody to BDKRB2
OSB00054W	Goat antibody to BDKRB2